


11/06/00



11-07-00

A

PTO/SB/05

Please type a plus sign (+) inside this box → ☐Approved for use through 10/31/2002 OMB 0651-  
U S Patent and Trademark Office, U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

N0069US

First Inventor

JOSH

Title

Method and System for Wavelet Based  
Representation and Use of Cartographic Data

Express Mail Label No.

EF 173 000 843 US

**APPLICATION ELEMENTS**

See MPEP chapter 600 concerning utility patent application contents

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)  
(Submit an original and a duplicate for fee processing)
2. ☐ Applicant claims small entity status.  
See 37 CFR 1.27.
3. ☒ Specification [Total Pages 24]  
(preferred arrangement set forth below)
- Descriptive title of the invention
  - Cross Reference to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to sequence listing, a table, or a computer program listing appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
4. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 4]
5. Oath or Declaration [Total Pages 2]
- a. ☒ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 CFR 1.63 (d))  
(for continuation/divisional with Box 17 completed)
- i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s)  
named in the prior application, see 37 CFR  
1.63(d)(2) and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76

**ADDRESS TO:**Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

7. ☐ CD-ROM or CD-R in duplicate, large table or  
Computer Program (Appendix)
8. Nucleotide and/or Amino Acid Sequence Submission  
(if applicable, all necessary)
- a. ☐ Computer Readable Form (CRF)
- b. Specification Sequence Listing on:
- i. ☐ CD-ROM or CD-R (2 copies); or
  - ii. ☐ paper
- c. ☐ Statements verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

9. ☒ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement ☐ Power of  
(when there is an assignee) Attorney
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure ☐ Copies of IDS  
Statement (IDS)/PTO-1449 Citations
13. ☐ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)  
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)  
(if foreign priority is claimed)
16. ☐ Other: .....

17. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR 1.76:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP)


of prior application No.: \_\_\_\_\_ / \_\_\_\_\_

Prior application information:

Examiner: \_\_\_\_\_

Group / Art Unit: \_\_\_\_\_

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

**18. CORRESPONDENCE ADDRESS**☐ Customer Number or Bar Code Label

or



Correspondence address below

Name

Frank J. Kozak

Address

Navigation Technologies Corporation  
10400 West Higgins Road

City

Rosemont

State

IL

Zip Code

60018

Country

USA

Telephone

847/795-7371

Fax

847/699-8057

Name (Print/Type)

Frank J. Kozak

Registration No. (Attorney/Agent)

32,908

Signature

Date Nov. 6, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**FEE TRANSMITTAL  
for FY 2001**

Patent fees are subject to annual revision.

**Complete if Known**

Application Number	
Filing Date	11/6/00
First Named Inventor	JOSHI
Examiner Name	
Group Art Unit	
Attorney Docket No.	N006905

**TOTAL AMOUNT OF PAYMENT**

(\$ 1196.00)

**METHOD OF PAYMENT**

- 1.
- ☒
- The Commissioner is hereby authorized to charge indicated fees and credit any overpayments to.

Deposit Account Number	50 0728
Deposit Account Name	Navigation Technologies

☒ Charge Any Additional Fee Required  
Under 37 CFR 1.16 and 1.17☐ Applicant claims small entity status.  
See 37 CFR 1.27

- 2.
- ☐
- Payment Enclosed:

☐ Check ☐ Credit card ☐ Money Order ☐ Other**FEE CALCULATION****1. BASIC FILING FEE**

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
101	710	201	355	Utility filing fee	710
106	320	206	160	Design filing fee	
107	490	207	245	Plant filing fee	
108	710	208	355	Reissue filing fee	
114	150	214	75	Provisional filing fee	

**SUBTOTAL (1)** (\$ 710-)**2. EXTRA CLAIM FEES**

Total Claims	Extra Claims	Fee from below	Fee Paid
27	-20** = 7	18	126
7	-3** = 4	86	320
Multiple Dependent			

Large Entity		Small Entity		Fee Description
Fee Code	Fee (\$)	Fee Code	Fee (\$)	
103	18	203	9	Claims in excess of 20
102	80	202	40	Independent claims in excess of 3
104	270	204	135	Multiple dependent claim, if not paid
109	80	209	40	** Reissue independent claims over original patent
110	18	210	9	** Reissue claims in excess of 20 and over original patent

**SUBTOTAL (2)** (\$ 446-)

\*\*or number previously paid, if greater; For Reissues, see above

**FEE CALCULATION (continued)****3. ADDITIONAL FEES**

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for <i>ex parte</i> reexamination	
112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
115	110	215	55	Extension for reply within first month	
116	390	216	195	Extension for reply within second month	
117	890	217	445	Extension for reply within third month	
118	1,390	218	695	Extension for reply within fourth month	
128	1,890	228	945	Extension for reply within fifth month	
119	310	219	155	Notice of Appeal	
120	310	220	155	Filing a brief in support of an appeal	
121	270	221	135	Request for oral hearing	
138	1,510	138	1,510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive - unavoidable	
141	1,240	241	620	Petition to revive - unintentional	
142	1,240	242	620	Utility issue fee (or reissue)	
143	440	243	220	Design issue fee	
144	600	244	300	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Stmt	
581	40	581	40	Recording each patent assignment per property (times number of properties)	40
146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
149	710	249	355	For each additional invention to be examined (37 CFR § 1.129(b))	
179	710	279	355	Request for Continued Examination (RCE)	
169	900	169	900	Request for expedited examination of a design application	

Other fee (specify) \_\_\_\_\_

\* Reduced by Basic Filing Fee Paid

**SUBTOTAL (3)** (\$ 40-)**SUBMITTED BY****Complete (if applicable)**

Name (Print/Type)	Frank J. Kozak	Registration No. (Attorney/Agent)	32,908	Telephone	847/795-7371
Signature	<i>Frank J. Kozak</i>	Date	Nov. 6, 2000		

**WARNING:** Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
APPLICATION FOR UNITED STATES PATENT

INVENTOR: RAJASHRI JOSHI

TITLE: METHOD AND SYSTEM FOR WAVELET-  
BASED REPRESENTATION AND USE OF  
CARTOGRAPHIC DATA

ATTORNEYS: Frank J. Kozak  
Lawrence M. Kaplan  
NAVIGATION TECHNOLOGIES  
CORPORATION  
Rosemont, Illinois 60018  
(847) 795-7000 x7371

# METHOD AND SYSTEM FOR WAVELET-BASED REPRESENTATION AND USE OF CARTOGRAPHIC DATA

5

## TECHNICAL FIELD OF THE INVENTION

The present invention relates generally to cartography, and in particular, to the use of wavelet transforms to represent cartographic data.

10

## BACKGROUND OF THE INVENTION

Cartographic databases are used in computer-based systems to represent geographic features on displayable maps. These geographic features may include roads, intersections, and points-of-interest, as well as other features, such as lakes, railroad tracks, buildings, airports, stadiums, parks, mountain ranges, bridges, and so on. To permit these features to be displayed, cartographic databases usually include geographic location information in a format that allows computers to display maps illustrating the size, shape, position, and character of these various geographic features on a display device.

In order to represent these continuous features on a computer, it is necessary utilize some form of discretization. Typically, the features are represented in terms of discrete data points consisting of coordinate pairs (longitude, latitude) or coordinate triples (longitude, latitude, altitude). A point feature such as a point of interest or intersection is then represented as a single data point, while other features such as roads, lake boundaries, and so on are represented as a sequence of data points. The endpoints of the geographic features are commonly referred to as nodes while data points between the nodes are referred to as shape points. Accordingly, nodes and shape points can be used to approximate the true shape of the geographic feature. The shape points and nodes are stored in what is known as a shape point database, which may be part of a larger cartographic database. With this representation scheme, the spacing between shape points is selected such that the error between the data point representation and the actual geographic feature lies within some acceptable bound. In order to achieve a high level of accuracy and detail in the data point representation, it is often necessary to store a large number of data points.

A function available with some computerized map display systems is the ability to zoom. Zooming is the process of magnifying or reducing the scale of a map displayed on the monitor to change the level of detail. Reducing the display scale in a displayed map is referred to as zooming out, while increasing the display scale is referred to as zooming in.

To permit zooming, some cartographic databases include separate collections of location data, each with a different level of detail, which can be used by the map display function. Using these different layers of cartographic data, the map display function can provide or support zooming. However, providing multiple layers of cartographic data requires additional database storage space.

In one type of display system, the different resolution layers of cartographic data are produced by using line generalization algorithms (also referred to as line simplification algorithms). Many different line generalization algorithms are currently being used in cartography, one of which is the Douglas-Peucker algorithm. Generally, line generalization refers to a process of reducing the data points representing a linear geographic feature in a map, while maintaining the overall shape and/or trend of the feature. By applying a line generalization algorithm to a cartographic database having a large number of data points representing a high level of detail, lower resolution databases can be generated. Although known line generalization algorithms are adequate for producing cartographic data collections with different levels of detail, there is an opportunity to improve upon the speed and efficiency at which the algorithms operate.

Accordingly, there is a need for a method and system for representing cartographic data that improves upon known generalization and zooming techniques and provides an ability to reduce the storage requirements of the data without sacrificing feature resolution.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a Cartesian graph showing a Haar basis function and scaling function.

FIG. 2 is series of Cartesian graphs illustrating an exemplary square integrable function  $f(x)$  and its approximation at successively higher resolutions using wavelet basis functions of successively higher resolutions.

FIG. 3 shows a pair of graphs illustrating an exemplary wavelet basis function and the corresponding wavelet scaling function.

FIG. 4 is a block diagram illustrating an exemplary system for converting shape point data of a cartographic database into a database of wavelet and scaling coefficients in accordance with an embodiment of the present invention.

FIG. 5 is a flow chart illustrating a method of operating the processor shown in FIG. 4.

FIG. 6 is a block diagram illustrating a computer-based system capable of displaying cartographic data represented using wavelets in accordance with a further embodiment of the present invention.

FIG. 7 is a flow chart illustrating a method of operating the computer-based system shown in FIG. 6.

FIG. 8 is a block diagram illustrating a system for computing multi-resolution error metrics in accordance with another embodiment of the present invention.

FIG. 9. is a flow chart illustrating a method of operating the processor shown in FIG. 8.

#### DETAILED DESCRIPTION OF THE PRESENTLY PREFERRED EMBODIMENT(S)

To address the needs for reducing cartographic database sizes and, improving upon known line generalization and zooming techniques, the present invention provides a method and system for generating and using wavelet representations of cartographic data.

The wavelet transform maps a square integrable function to the scale-space domain. Specifically, the wavelet transform of a signal provides information about the resolution content of a function as well as information about the location of each resolution component. This property of wavelets is called time-frequency localization. Wavelet transforms are widely used for the analysis of non-stationary signals. Their unique properties make them a valuable tool in a wide variety of areas such as numerical analysis, edge detection in images, image compression, and analysis of fractal signals, to name just a few.

A wavelet representation of cartographic data can provide an accurate representation of the data, and a consistent and intuitive method for generalization for the purpose of map display at different zoom levels. Furthermore, the wavelet transform can be easily extended to two or more dimensions.

Display operations like generalization and zooming can be accomplished much more intuitively and easily using the wavelet representation, because generalization will simply involve dropping wavelet coefficients at certain scales. With a wavelet representation, the wavelet coefficients for each geographic feature can be stored for the highest level of resolution. To produce displays of lower resolution, higher resolution wavelet coefficients are not used.

### Wavelets and Wavelet Transforms

Wavelets are families of functions of the following form

$$\psi_{ab}(x) = |a|^{-1/2} \psi\left(\frac{x-b}{a}\right) \quad (1)$$

where  $a$  and  $b$  are respectively called the dilation (scaling) and translation parameters. As  $a$  is increased, the function  $\psi_{ab}(x)$  becomes more spread out or dilated, and as  $b$  is increased or decreased  $\psi_{ab}(x)$  is shifted or translated by  $b/a$ . Thus, wavelets are constructed by dilating and translating a single prototype function  $\psi(x)$  called a mother wavelet. The dilation and translation parameter pairs  $(a, b)$  can range over a continuous or discrete subset of  $\mathbb{R}^+ \times \mathbb{R}$ .

If the parameters  $a$  and  $b$  are restricted such that  $a = 2^{-m}$  and  $b = mi$ , where  $m$  and  $i$  are integers, then the resulting wavelets are called dyadic wavelets and are parameterized by the integers  $m$  and  $i$ . Dyadic wavelets are expressed as:

$$\psi_{mi}(x) = 2^{m/2} \psi(2^m x - i) \quad (2)$$

In this case, negative values of  $m$  correspond to dilating  $\psi(x)$  and positive values of  $m$  correspond to contracting  $\psi(x)$ .

Although the present invention is not so limited, the embodiments described herein can utilize dyadic wavelets. It is possible to select a dyadic mother wavelet  $\psi(x)$  such that the set of

functions  $\{\psi_{mi}\} \forall (m,i) \in Z \times Z$  constitutes an orthonormal basis for  $L^2(\mathcal{R})$ , where

$L^2(\mathcal{R})$  represents the space of square-integrable functions defined on the real line. The simplest choice of  $\psi(x)$  which yields an orthonormal basis of  $L^2(\mathcal{R})$  is the Haar mother wavelet, shown in the FIG. 1.

5 Other orthogonal bases include the Daubechies family of bases. These functions are indexed by an integer  $N$ ; the regularity (which loosely means smoothness) of these bases increases with  $N$ .

Turning now to wavelet transforms, which rely on wavelets such as those discussed above, there are many different types of wavelet transforms. The wavelet representation of geographic features yields accurate results, and can also be made more accurate by using smoother basis functions, and using more coefficients in certain regions of each geographic feature.

The different types of wavelet transforms are distinguished from one another by the types of wavelets used in their definitions. In the methods and systems disclosed herein, orthonormal wavelet transforms are preferably used; however, nonorthonormal wavelets could also be used for the purpose of representing cartographic data. The semi-discrete orthonormal wavelet transform of a square integrable computable function  $f(x)$  is defined, using dyadic wavelets, by the analysis and synthesis equations given below:

20 Analysis Equation:

$$F(m,i) = \int_{-\infty}^{\infty} f(x) \psi_{mi}(x) dx \quad (3)$$

Synthesis Equation:

25

$$f(x) = \sum_{m=-\infty}^{\infty} \sum_{i=-\infty}^{\infty} F(m,i) \psi_{mi}(x) \quad (4)$$



The values  $F(m, i)$  are called the wavelet coefficients. The functions

$\psi_{mi}(x) = 2^{m/2} \psi(2^m x - i)$  are the wavelet basis functions. The set of basis functions  $\{\psi_{mi}(x)\}$  is thus constructed by scaling and translating the mother wavelet function  $\psi(x)$ . The integer  $m$  is the dilation or scaling parameter and the integer  $i$  is a translation parameter. Negative values of  $m$  correspond to dilating  $\psi(x)$  and positive values of  $m$  correspond to contracting  $\psi(x)$ .

As can be seen from the analysis equation above, the wavelet coefficients  $F(m, i)$  are obtained via an inner product computation of the square integrable function  $f(x)$  and the corresponding wavelet basis function, i.e.,  $\langle f(x), \psi_{mi}(x) \rangle$ . The set of wavelet coefficients  $\{F(m, i)\}$  can be indexed by both scale or resolution  $m$  and location or translation  $i$ .

The square integrable function  $f(x)$  can be reconstructed using the synthesis equation, which is sometimes called a wavelet series expansion. The wavelet representation of a square integrable function is thus a weighted sum of wavelet basis functions, the weights being the wavelet coefficients.

The wavelet transform is considered to be semi-discrete because it takes the continuous function  $f(x)$  and transforms it into a set of coefficients indexed by integral values. This transform therefore accomplishes the goal of representing the continuous function  $f(x)$  in terms of a set of discrete values  $\{F(m, i)\}$ , which can be stored in memory on a computer.

The limits on the translation index  $i$  in the inner summation of Equation (4) are determined by the support of the square integrable function  $f(x)$ . The limits on  $i$  are finite if  $f(x)$  has compact support. The limits on the dilation index  $m$  in the outer summation of Equation (4) are infinite. In practice, however, the limits of  $m$  must be truncated both above and below to predetermined values to yield a reasonable approximation of  $f(x)$ . This is done by collecting all terms in the expansion for  $m \in (-\infty, M')$  into a single term  $\Lambda_{M'}(x)$ , which represents the approximation of the function at the highest resolution level, layer 0. The finer details of the function are expressed in terms of a wavelet series expansion as indicated in Equation (5).

$$f(x) \approx \Lambda_{M'}(x) + \sum_{m=M'}^M \sum_{i=-\infty}^{\infty} F(m,i) \psi_{mi}(x) \quad (5)$$

It is often convenient to include only nonnegative scales in the approximation, i.e., truncate all expansion terms below  $m = 0$  and above some arbitrary scale  $M$  that yields an approximation to  $f(x)$  that is acceptable for the given application. Furthermore,  $\Lambda_{M'}(x)$  is expressed in terms of dilations and translations of the function  $\psi(x)$ , which is called the scaling function associated with the wavelet function  $\phi(x)$ . This results in the following equation:

$$f(x) \approx \sum_{i=-\infty}^{\infty} F'(i) \phi_{M'i}(x) + \sum_{m=M'}^M \sum_{i=-\infty}^{\infty} F(m,i) \psi_{mi}(x) \quad (6)$$

where the quantities the  $F'(i)$ , are known as the scaling coefficients, and are given by

$$F'(i) = \int_{-\infty}^{\infty} f(x) \phi_{M'i}(x) dx \quad (7)$$

One advantage of using the wavelet transform for representing cartographic data is that the transform organizes the information in the data into components at various resolutions or scales. This is particularly useful for line generalization that supports map display features, such as zooming. This can be explained as follows. For negative values of  $m$ , the corresponding wavelet basis functions are dilated, i.e., they have a larger width of support than the mother wavelet. As a result, the wavelet coefficients indicated by negative values of  $m$  will correspond to coarse scale or low-resolution information contained in the cartographic data. This corresponds roughly to zooming out and observing the square integrable function  $f(x)$  from a distance. The more negative the value of  $m$ , the more the displayed feature is effectively zoomed out.

On the other hand, for positive values of  $m$ , the resulting wavelet basis functions are contracted with respect to the mother wavelet, i.e., their width of support is smaller than that of the mother wavelet. As a result, the wavelet coefficients indicated by positive values of  $m$  correspond to fine scale or high resolution information contained in the cartographic data represented by the square integrable function  $f(x)$ . This corresponds roughly to zooming in and observing the square integrable function  $f(x)$  from close up.

This zooming aspect of wavelet transforms is illustrated in FIG. 2 using the Haar basis function. The column of graphs on the right-hand side of FIG. 2 shows an exemplary square integrable function  $f(x)$  and its approximation at successively higher resolutions using wavelet basis functions of successively higher resolutions. The corresponding wavelet basis functions for the successive levels of resolution are illustrated in the left-hand column of graphs.

From the sequence of graphs, it is apparent that as each successive scale of wavelet coefficients is added to the approximation, the approximation becomes more accurate. The Haar basis function is used here only for illustrative purposes. There exist other wavelet bases that can yield accurate representation of continuous functions.

FIG. 3 shows a pair of graphs illustrating an exemplary wavelet basis function and an exemplary wavelet scaling function. The wavelet basis function shown in FIG. 3 is a Daubechies sixth order basis function. This is an orthonormal basis function that has compact support and has a high enough order of continuity for accurately representing cartographic data for some applications. The wavelet scaling function shown in FIG. 3 is associated with the Daubechies sixth order basis function. The Haar basis function is a degenerate case of Daubechies basis function. Daubechies bases do not have closed form expressions, but since all wavelet basis functions are derived from a single prototype function, it is sufficient to compute the values of the mother wavelet once and then store them in a look-up table. There also exist other (non-compactly supported) orthonormal wavelet bases, such as the Battle-Lemarie basis function, which can also be used in other embodiments of the invention.

Other wavelet bases include compactly supported non-orthogonal wavelet bases, such as the B-wavelets which are constructed from splines. The Haar basis function is a degree zero B-spline. These may be of special interest in cartographic applications; however, since they are not orthogonal, the wavelet coefficients will not be quite as easy to compute, as compared to the orthonormal case. However, this is generally not an issue since the wavelet coefficients for a cartographic database need only be computed once, at the time the wavelet database is generated.

#### Parameterization of Cartographic Data

Each geographic feature can, in general, be represented as a continuous function in space and can be represented in implicit form as  $f(x, y, z) = 0$ , where  $x$ ,  $y$  and  $z$  represent longitude, latitude and altitude, respectively. In order to apply the wavelet transform, it is convenient to express each geographic feature in parametric form as a group  $\mathbf{p}(t)$  of polynomial functions of an independent parameter  $t$  as follows:

$$\mathbf{p}(t) = [x(t) \quad y(t) \quad z(t)] \quad (8)$$

The parameterization scheme can be chosen in such a way that each of the functions  $x(t)$ ,  $y(t)$  and  $z(t)$  are each single valued. The wavelet transform can then be applied to each of the functions  $x(t)$ ,  $y(t)$  and  $z(t)$ . This yields  $\mathbf{P}(m, i) = [X(m, i) \quad Y(m, i) \quad Z(m, i)]$  where  $X(m, i)$ ,  $Y(m, i)$  and  $Z(m, i)$  are the wavelet coefficients of  $x(t)$ ,  $y(t)$  and  $z(t)$  respectively, and  $\mathbf{P}'(i) = [X'(i) \quad Y'(i) \quad Z'(i)]$  where  $X'(i)$ ,  $Y'(i)$  and  $Z'(i)$  are the scaling coefficients of  $x(t)$ ,  $y(t)$  and  $z(t)$ , respectively.

#### System Architecture

FIG. 4 illustrates an exemplary system 20 for converting a shape point database into a database of wavelet and scaling coefficients in accordance with an embodiment of the present invention. The shape point database itself may be part of a larger cartographic database, which may include other kinds of databases used for functions such as route calculation, maneuver generation, and other navigational functions. The system 20 includes a processor 22 in

communication with a shape point database (DB) 24 and a wavelet database 26. A user interface 21 permits database developers to configure conversion parameters used by the processor 22 such as the desired highest level of resolution in the wavelet representation.

The shape point database 24 stores a plurality of shape points and nodes representing one or more geographic features that can be displayed by a computer-based system, such as a navigation system, as part of a digital map. Shape points and nodes represent geographic locations within a map. In the embodiments disclosed herein, the shape points and nodes can consist of coordinate triples (longitude, latitude, altitude) or coordinate pairs (longitude, latitude), which represents specific locations along geographic features. Nodes are special cases of shape points, representing, for example, intersections between road segments and end points of geographic features.

Data stored in the shape point database 24 can be organized on a per geographic feature basis, i.e., each geographic feature is represented as sequence of nodes and shape points. Although the database 24 can store a number of geographic feature entities 30, three entities  $SEG_0$ ,  $SEG_1$ ,  $SEG_2$  are shown for illustration purposes. A pair of nodes and zero or more shape point entries 31 can be associated with each entity. For entities representing straight or substantially straight geographic features, the nodes 33 are sufficient to accurately represent the feature; and therefore, for straight geographic features, the nodes alone can be stored without shape points.

In the example shown, a first geographic feature  $SEG_0$  is represented by shape points  $SP_0(0) - SP_0(i)$ , where  $i$  is an integer, and nodes  $EN_0(0) - EN_0(1)$ ; a second feature  $SEG_1$  is represented by shape points  $SP_1(0) - SP_1(j)$ , where  $j$  is an integer, and nodes  $EN_1(0) - EN_1(1)$ ; and a third feature  $SEG_2$  is represented by shape points  $SP_2(1) - SP_2(k)$ , where  $k$  is an integer, and nodes  $EN_2(0) - EN_2(1)$ .

The processor 22 can be any computing device for performing the steps shown in the flow chart 50 of FIG. 5, including a conventional personal computer (PC) executing a software program. In such an embodiment, the software program can be stored on a computer-usable medium for configuring the processor 22 to perform the method of FIG. 5 as disclosed herein. The computer-usable medium can be any article of manufacture for storing computer programs, such as a CD ROM, hard drive, DVD, diskette, solid-state memory such as a RAM, ROM, or

EEPROM, or the like. Alternatively, the processor 22 can be a custom hardware device, such as one or more application specific integrated circuits (ASIC) designed to perform according to the method shown in FIG. 5.

As will be discussed in greater detail below, the processor 22 processes data stored in the shape point database 24 to convert it into a plurality of wavelet coefficients that are stored in the wavelet database 26. The wavelet representation can provide a more efficient representation of map data that facilitates line generalization and map display features, such as zooming.

Generally, for each geographic feature entity in the shape point database, the processor 22 generates a corresponding set of wavelet and scaling coefficients that are stored in the wavelet database 26. The geographic features can be reconstructed using the wavelet synthesis equation to draw the features on a map display. Further, the wavelet and scaling coefficients for each entity can be indexed by layer or resolution level.

In the example shown, the first geographic feature  $SEG_0$  is represented by wavelet coefficients  $P_0(0,0), \dots, P_0(M_0, N_0)$ , and scaling coefficients  $P'_0(0), \dots, P'_0(N_0)$ , where  $M_0$  and  $N_0$  are integers; the second geographic feature  $SEG_1$  is represented by wavelet coefficients  $P_1(0,0), \dots, P_1(M_1, N_1)$  and scaling coefficients  $P'_1(0), \dots, P'_1(N_1)$ , where  $M_1$  and  $N_1$  are integers; and the third geographic feature  $SEG_2$  is represented by wavelet and scaling coefficients  $P_2(0), \dots, P_2(N_2)$ , where  $M_2$  and  $N_2$  are integers. In the above,

$$P_k(m,i) = [X_k(m,i) \quad Y_k(m,i) \quad Z_k(m,i)] \text{ and } P'_k(i) = [X'_k(i) \quad Y'_k(i) \quad Z'_k(i)]. \quad (9)$$

The shape point and wavelet databases 24 and 26, as well as all other databases disclosed herein, can be stored using any suitable computer-usable storage media, such as one or more CD ROMs, hard drives, DVDs, diskettes, solid-state memories such as RAMs, ROMs, or EEPROMs, or the like.

FIG. 5 shows a flow chart 50 illustrating a method of operating the processor 22 shown in FIG. 4. In step 52, the processor 22 receives shape points and/or nodes representing one or more geographic features from the shape point database 24. The processor can include a memory (not shown) for buffering the shape points.

Next in step 56, the wavelet coefficients are computed for each parameterized geographic feature  $\mathbf{p}(t) = [x(t) \ y(t) \ z(t)]$ . This can be done in one of two possible ways. If  $\mathbf{p}(t)$  is known at all points, or if the data points of  $\mathbf{p}(t)$  are spaced sufficiently closely, then the wavelet and scaling coefficients are computed for the given data points by using the following discretized versions of Equations (3) and (7):

$$F(m, i) \approx \sum_{k=-\infty}^{\infty} f(k\Delta x) \psi_{mi}(k\Delta x) \Delta x \quad (10)$$

$$F'(i) \approx \sum_{k=-\infty}^{\infty} f(k\Delta x) \phi_{mi}(k\Delta x) \Delta x \quad (11)$$

If the data points of  $\mathbf{p}(t)$  are not spaced sufficiently closely, then the wavelet coefficients can be computed by using a least squares fitting technique.

Many different types of wavelet transforms are available and the present invention is not limited to any particular type. However, a preferable form of the wavelet transform employed by the method shown in FIG. 5 was described above in connection with Equations (3)-(4).

An advantage of the wavelet representation of a function is that the wavelet and scaling coefficient set often contains a large number of small or zero values, which can simply be dropped. This allows cartographic data being represented by wavelets to be compressed, reducing the amount of database space necessary to store the wavelet coefficients, without significantly degrading the accuracy of the representation.

In step 58, the wavelet coefficients and scaling coefficients for the geographic features are stored in the wavelet database 26.

FIG. 6 illustrates a computer-based system 100 capable of displaying cartographic data represented using wavelets in accordance with another embodiment of the present invention. The system 100 includes a computer 102, a wavelet database (DB) 104, a user interface 108, and an output display device 106.

The computer 102 can be any computing device, including a conventional PC or other microprocessor-based device having a processor 112 and a memory 110. The processor 112 can execute a computer software program stored in the memory 110. The software program can direct the processor 112 to perform the steps shown in the flow chart diagram 120 of FIG. 7.

The user interface 108 can be a software-generated graphical interface included in a commercially-available PC operating system, configured to direct the processor 112 to receive and process user selections, such as the desired level of resolution in the displayed map.

The wavelet database 104 includes the wavelet coefficients and scaling coefficients and basis function data.

The computer-based system 100 of FIG. 6 can be part of a navigation system included with on-road vehicles, such as automobiles, trucks, buses, and so on, as well as advanced driver assistance systems (ADAS) provided in on-road vehicles.

The flow chart diagram 120 in FIG. 7 illustrates the operation of the computer-based system 100 shown in FIG. 6. In step 122, the computer 102 receives a user selected resolution level from the user interface 108. The resolution level determines the scale at which the cartographic data is displayed, and may be embodied as a zooming feature of the system 100. The zooming feature is described in further detail below.

Next, in step 124, the processor 112 retrieves wavelet and scaling coefficients corresponding to the desired geographic features from the wavelet database 104. The wavelet coefficients in the database 104 can be indexed by scale, facilitating retrieval of the coefficients corresponding to the user selected resolution level, if desired. In addition to retrieving the wavelet coefficients, the processor can also retrieve from the database 54 the precomputed wavelet basis and scaling function values. The parameterized functions

$\mathbf{p}(t) = [x(t) \ y(t) \ z(t)]$ , which represent geographic features, such as a road segments, rivers, or the like, for cartographical applications, can be reconstructed from the wavelet coefficients and a look-up table storing the precomputed wavelet basis and scaling function values.



In step 126, the processor 112 reconstructs the functions that represent geographic features. Through a conventional display interface card (not shown), the processor 112 then passes the reconstructed functions to the output display device 106, which then displays the function representing the geographic feature to the user (step 128). The wavelet zooming feature of the system 100 is explained as follows. Starting with the highest resolution wavelet series approximation of the function  $\mathbf{p}(t) = [x(t) \ y(t) \ z(t)]$ , zooming out, or reducing resolution, can be accomplished by successively removing the finest scale wavelet coefficients from the wavelet expansion. As an example, suppose that the cartographic display data is organized into five layers, labeled layer 0 through layer 4, with layer 0 representing the lowest level of resolution and layer 4 representing the highest level of resolution. Let  $\mathbf{p}_i(t)$  denote the function representing the approximation of the function  $\mathbf{p}(t)$  resolution  $i$ . Then,  $\mathbf{p}_4(t)$  is obtained by including wavelet coefficients for scales  $0 \leq m \leq 4$ , i.e.,  $f_4(x)$  is a summation of the form of Equation (5), with  $M = 4$ , as shown below in Equation (12).

Layer 3 data can be represented by dropping all wavelet coefficients corresponding to the finest scale used in the initial approximation  $\mathbf{p}_4(t)$ , resulting in the wavelet series shown in Equation (13); layer 2 data can be represented by dropping all wavelet coefficients corresponding to the finest scale in the layer 3 representation, resulting in the wavelet series of Equation (14); and so on. As scales are dropped from the wavelet approximation, the resolution of the approximation becomes progressively lower, i.e., the wavelet representation is effectively zooming out. Equations (12)-(16) show the wavelet synthesis equations for each layer.

$$\text{Layer 0:} \quad \mathbf{p}_0(t) \approx \sum_{i=-\infty}^{\infty} \mathbf{P}'(i) \psi_{0i}(x) + \sum_{m=0}^4 \sum_{i=-\infty}^{\infty} \mathbf{P}(m, i) \phi_{mi}(t) \quad (12)$$

$$\text{Layer 1:} \quad \mathbf{p}_1(t) \approx \sum_{i=-\infty}^{\infty} \mathbf{P}'(i) \psi_{0i}(x) + \sum_{m=0}^3 \sum_{i=-\infty}^{\infty} \mathbf{P}(m, i) \phi_{mi}(t) \quad (13)$$

$$\text{Layer 2:} \quad \mathbf{p}_2(t) \approx \sum_{i=-\infty}^{\infty} \mathbf{P}'(i) \psi_{0i}(x) + \sum_{m=0}^2 \sum_{i=-\infty}^{\infty} \mathbf{P}(m, i) \phi_{mi}(t) \quad (14)$$

$$\text{Layer 3:} \quad \mathbf{p}_3(t) \approx \sum_{i=-\infty}^{\infty} \mathbf{P}'(i) \psi_{0i}(x) + \sum_{m=0}^1 \sum_{i=-\infty}^{\infty} \mathbf{P}(m, i) \phi_{mi}(t) \quad (15)$$

$$\text{Layer 4:} \quad \mathbf{p}_4(t) \approx \sum_{i=-\infty}^{\infty} \mathbf{P}'(i) \psi_{0i}(x) + \sum_{i=-\infty}^{\infty} \mathbf{P}(0, i) \phi_{0i}(t) \quad (16)$$

## Multi-resolution Error Metrics for Cartographic Databases

In addition to generating displayable maps, the wavelet coefficients of the cartographic data can be used to define a multi-resolution error metric for measuring database accuracy.

FIG. 8 illustrates a system 200 for generating a multi-resolution error metric in accordance with yet another embodiment of the present invention. The database which is being assessed for accuracy is commonly referred to as a sampled database 206. The system also includes another database called the ground truth database (DB) 204 and a processor 202. Both of these databases are shape point databases, i.e., both the sampled database 206 and the ground truth database 204 contain plural shape points and nodes representing the same geographic features, such as roads, and so forth; however, the shape points are more densely represented in the ground truth database 204 to give a highly accurate representation of the geographic features. The ground truth database is constructed by using more accurate sources (which may include preexisting maps or imagery, as well as sensor measurements) than those sources used for constructing the sampled database.

The processor 202 can be any computing device, including a conventional PC or other microprocessor-based device. The processor 202 can execute a computer software program for performing the steps shown in the flow chart diagram 230 of FIG. 9.

The flow chart diagram 230 illustrates a method of operating the processor 202 to generate one or more multi-resolution database error metrics. In step 232, the wavelet and scaling coefficients of the geographic features represented in the ground truth database are computed and stored in the ground truth wavelet database 204. This can be done by generating the coefficients from the shape points of the ground truth database (GD) on a per segment basis as described above in connection with FIGS. 1- 5.

The wavelet and scaling coefficients of the geographic features represented in the sampled database are then calculated and stored in the sampled wavelet database using the method as described above in connection with FIGS. 1- 5 (step 236).

The total error of the sampled database 206 with respect to the ground truth database 204 is designated  $\mathbf{e}(t) = [e^x(t) \ e^y(t) \ e^z(t)]$ , where  $e^x(t)$ ,  $e^y(t)$  and  $e^z(t)$  are the components of error corresponding to longitude, latitude and altitude, respectively.

In step 238, the total error  $\mathbf{e}(t)$  is computed as follows:

$$\begin{aligned}\mathbf{e}(t) &= \sum_{i=-\infty}^{\infty} [\mathbf{P}'_{SD}(i) - \mathbf{P}'_{GD}(i)] \phi_{M'i}(t) + \sum_{m=M'}^M \sum_{i=-\infty}^{\infty} [\mathbf{P}_{SD}(m,i) - \mathbf{P}_{GD}(m,i)] \psi_{mi}(t) \\ &= \mathbf{e}_{M'}(t) + \sum_{m=M'}^{\infty} \mathbf{e}_m(t)\end{aligned}\quad (17)$$

where

$$\begin{aligned}\mathbf{e}_{M'}(t) &= \sum_{i=-\infty}^{\infty} [\mathbf{P}'_{SD}(i) - \mathbf{P}'_{GD}(i)] \phi_{M'i}(t) + \sum_{i=-\infty}^{\infty} [\mathbf{P}_{SD}(M',i) - \mathbf{P}_{GD}(M',i)] \psi_{M'i}(t) \\ \mathbf{e}_m(t) &= \sum_{i=-\infty}^{\infty} [\mathbf{P}_{SD}(m,i) - \mathbf{P}_{GD}(m,i)] \psi_{mi}(t), \text{ for } M' < m \leq M\end{aligned}\quad (18)$$

and  $\mathbf{P}_{GD}$  and  $\mathbf{P}_{SD}$  are the wavelet coefficients of the ground truth database 204 and the sampled database 206, respectively and  $\mathbf{P}'_{GD}$  and  $\mathbf{P}'_{SD}$  are the scaling coefficients of the ground truth database 204 and the sampled database 206, respectively. The set of values

$\{\mathbf{e}_m(t) = [e_m^x(t) \ e_m^y(t) \ e_m^z(t)]\}$  represent the layer error metric values.

In step 240, a layer error metric value can be generated for a selected resolution layer of the sampled database 206. The total error determined by Equation (14) is thus decomposed into error components at different scales, represented by the integer  $m$ . Thus two types of error can be obtained for each geographic feature represented in the sampled database: the layer error

$\mathbf{e}_m(t)$  at a particular scale  $m$ , as well as the total error  $\mathbf{e}(t)$ , which is the sum of the errors at all scales. Note that  $\mathbf{e}_m(t)$  and  $\mathbf{e}(t)$  are vectors, with longitude, latitude and altitude components.

But we can compute  $e_m^{combined}(t) = (e_m^x(t)^2 + e_m^y(t)^2 + e_m^z(t)^2)$  and

$e^{combined}(t) = (e^x(t)^2 + e^y(t)^2 + e^z(t)^2)$  to get a combined measure of error in all three directions.

In step 242, the values of the error metric are stored by the processor 202 for later analysis and use by a computer system.

## Conclusion

Wavelets are useful for yielding a compact representation of cartographic data with improved accuracy, and for line generalization, and zooming. Furthermore, different wavelet bases can be applied to a cartographic database, once the initial wavelet formulation has been done. Moreover, the wavelet transform can be extended to two or more dimensions according to teachings disclosed herein. For instance, a two-dimensional wavelet representation of geographical information can be used to represent surfaces.

While specific embodiments of the present invention have been shown and described, it will be apparent to those skilled in the art that the disclosed invention may be modified in numerous ways and may assume many embodiments other than those specifically set out and described above. Accordingly, the scope of the invention is indicated in the appended claims, and all changes that come within the meaning and range of equivalents are intended to be embraced therein.

WHAT IS CLAIMED IS:

1           1.       A method for representing cartographic data in a computer-based system,  
2 comprising:  
3                computing a plurality of wavelet and scaling coefficients corresponding to at  
4 least one function representing a geographic feature in a cartographic database; and  
5                storing the wavelet and scaling coefficients in a computer-usable database, the  
6 coefficients being usable for representing the cartographic data in the computer-based system.  
7

1           2.       The method of claim 1, wherein the geographic feature is originally represented  
2 by a plurality of data points.

1           3.       The method of claim 2, wherein the data points are selected from the group  
2 consisting of coordinate pairs and a coordinate triples.

1           4.       The method of claim 1, wherein the geographic feature is the boundary of a  
2 feature selected from the group consisting of a road, waterway, building, park, lake, railroad  
3 track, and airport.  
4

1           5.       The method of claim 2, wherein the step of computing the wavelet coefficients  
2 and scaling coefficients includes applying a wavelet transform to a function defined by the data  
3 points representing the geographic feature.  
4

1           6.       The method of claim 1, wherein the step of computing the wavelet coefficients  
2 and scaling coefficients includes:  
3                computing the wavelet coefficients by performing a least-squares fit.  
4

1           7.       The method of claim 1, wherein the wavelet and scaling coefficients are  
2 computed using a semi-discrete orthonormal wavelet transform.

1           8.     A method of displaying on a computer output device a function representing a  
2 geographic feature, comprising:  
3                 retrieving from a computer-usable database a plurality of wavelet and scaling  
4 coefficients associated with the geographic feature, the coefficients being derived from a  
5 plurality of data points specifying geographic locations according to a predetermined reference  
6 system;  
7                 computing the function using the retrieved wavelet and scaling coefficients; and  
8                 displaying the function on the computer output device.

1           9.     The method of claim 8, wherein the data points are selected from the group  
2 consisting of coordinate pairs and a coordinate triples.

1           10.    The method of claim 8, wherein the geographic feature is selected from the group  
2 consisting of a road, waterway, building, park, lake, railroad track, and airport.

1           11.    A system for displaying on a computer output device a representation of a  
2 geographic feature, comprising:  
3                 a database storing a plurality of wavelet and scaling coefficients associated with  
4 the geographic feature, the wavelet and scaling coefficients being derived from a plurality of  
5 data points specifying geographic locations according to a predetermined reference system;  
6                 a processor configured to calculate a function using the wavelet and scaling  
7 coefficients, the function representing the geographic feature; and  
8                 a display device for displaying the function.

1           12.    The system of claim 11, wherein the data points are selected from a group  
2 consisting of coordinate pairs and coordinate triples.

1           13.     A method of generating a computer-usable database that represents cartographic  
2 data using a plurality of wavelet and scaling coefficients, comprising:  
3                 providing a predetermined database that represents the cartographic data using a  
4 plurality of data points specifying geographic locations;  
5                 computing a plurality of wavelet and scaling coefficients from the data points; and  
6                 storing the wavelet and scaling coefficients in the computer-usable database.  
7

1           14.     The method of claim 13, wherein the data points are selected from the group  
2 consisting of coordinate pairs and coordinate triples.

3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208

1           19.    The system of claim 16, wherein the wavelet coefficients are computed by  
2 performing a least-squares fit.

1           20.    A method for generating a database error metric in a computer-based system,  
2 comprising:  
3                computing a first plurality of wavelet and scaling coefficients from a plurality of  
4 first data points included in a first cartographic database;  
5                computing a second plurality of wavelet and scaling coefficients from a plurality  
6 of data points included in a second cartographic database; and  
7                generating the database error metric based on a wavelet transform involving the  
8 first and second pluralities of wavelet coefficients.

1           21.    The method of claim 20, wherein the error metric is a total error metric based on a  
2 plurality of wavelet scales.

1           22.    The method of claim 20, further comprising:  
2                selecting a wavelet scale; and  
3                restricting the error computation to the selected wavelet scale to generate a layer  
4 error metric.

1           23.    The method of claim 14, wherein the data points are selected from the group  
2 consisting of coordinate pairs and coordinate triples.

1           24.    A system for generating a database error metric, comprising:  
2                a first cartographic database for storing a first plurality of data points;  
3                a second cartographic database for storing a second plurality of data points; and  
4                a processor, operatively coupled to the first and second cartographic databases,  
5 configured to compute a first plurality of wavelet and scaling coefficients and a second plurality  
6 of wavelet and scaling coefficients, respectively, from the first and second pluralities of data  
7 points, the processor generating a database error metric based on the first and second pluralities  
8 of wavelet and scaling coefficients.



1           25.     The system of claim 23, wherein the error metric is a total error metric based on a  
2 plurality of wavelet scales.



1           26.     The system of claim 24, wherein the processor is configured to restrict the error  
2 computation to a selected wavelet scale to generate a layer error metric.

1           27.     The system of claim 24, wherein the data points are selected from the group  
2 consisting of coordinate triples and coordinate pairs.

# METHOD AND SYSTEM FOR WAVELET-BASED REPRESENTATION AND USE OF CARTOGRAPHIC DATA

## 5 ABSTRACT OF THE DISCLOSURE

Cartographic data is represented using wavelet coefficients. Specifically, a cartographic shape point database consisting of shape points and nodes stored on a per geographic feature basis is converted to a cartographic wavelet database consisting of wavelet and scaling coefficients also stored on a per geographic feature basis. The shape of each geographic feature can be reconstructed from the stored wavelet and scaling coefficients for that geographic feature. The wavelet transform organizes the information in a function according to scale, a concept which is related to resolution. The wavelet-based representation facilitates operations such as line simplification (generalization) and zooming. Multi-resolution error metrics are defined using the wavelet representation for assessing the accuracy of sampled cartographic databases with respect to a ground truth database.



**FIG. 1**





Fig. 2

Daubechies Order 6 Scaling Function



Daubechies Order 6 Basis Function






FIG. 3






**FIG. 5**




**FIG. 6**






**FIG. 7**



**FIG. 8**



**FIG. 9**

**DECLARATION FOR PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled, METHOD AND SYSTEM FOR WAVELET-BASED REPRESENTATION AND USE OF CARTOGRAPHIC DATA, the specification of which:

- ☒ is attached hereto.
- ☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_.
- ☐ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability as defined in Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

\_\_\_\_\_  
(Number)

\_\_\_\_\_  
(Country)

\_\_\_\_\_  
(Day/Month/Year Filed)

☐

☐

Yes

No

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

\_\_\_\_\_  
(Application Serial No.)

\_\_\_\_\_  
(Filing Date)

None

\_\_\_\_\_  
(Status-patented, pending, abandoned)

As a named inventor, I hereby appoint the following registered practitioners to prosecute said patent application and to transact all business in the Patent and Trademark Office connected therewith:

Frank J. Kozak (Reg. No. 32,908)

Lawrence M. Kaplan (Reg. No. 33,521)

Direct all correspondence for the above-identified application and telephone calls to:

FRANK J. KOZAK

Chief Patent Counsel

Navigation Technologies Corporation

10400 West Higgins Road

Rosemont, Illinois 60018

voice: (847) 795-7000 x7371

fax: (847) 795-7228

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's Signature

Full name of sole or first inventor

Residence

Citizenship

Post Office Address

Rajashri R. Joshi

Date:

11/06/2000RAJASHRI JOSHISCHAUMBURG, ILLINOISCANADIAN2504 JESSICA LN, #127, SCHAMBURG, IL 60173

rev. Feb. 1999